

**PALM INTRANET**Day : Friday  
Date: 3/3/2006  
Time: 13:57:16

## Inventor Information for 10/725288

| Inventor Name      | City         | State/Country |
|--------------------|--------------|---------------|
| MATSUTORI, CHIAKI  | KUMAMOTO-KEN | JAPAN         |
| OBAYASHI, TADAHIRO | KUMAMOTO-KEN | JAPAN         |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT /  / or PG PUBS # Attorney Docket # Bar Code # 

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

|                         |              |          |   |                                                                                                                                              |         |         |                                |
|-------------------------|--------------|----------|---|----------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|--------------------------------|
| US<br>20060042997<br>A1 | US-<br>PGPUB | 20060302 | 6 | Thin plate<br>supporting<br>container                                                                                                        | 206/710 | 206/454 | Obayashi;<br>Tadahiro          |
| US<br>20060027477<br>A1 | US-<br>PGPUB | 20060209 |   | Thin plate storage<br>container                                                                                                              | 206/454 | 206/711 | Matsutori;<br>Chiaki et<br>al. |
| US<br>20060021904<br>A1 | US-<br>PGPUB | 20060202 |   | Thin plate storage<br>container                                                                                                              | 206/710 | 206/454 | Matsutori;<br>Chiaki et<br>al. |
| US<br>20050199529<br>A1 | US-<br>PGPUB | 20050915 |   | Thin plate storage<br>container                                                                                                              | 206/710 |         | Matsutori,<br>Chiaki           |
| US<br>20050173296<br>A1 | US-<br>PGPUB | 20050811 |   | Lid unit for thin-<br>plate holding<br>container, thin-<br>plate holding<br>container, and<br>simplified<br>attaching/detaching<br>mechanism | 206/710 | 206/711 | Hyobu,<br>Yukihiro<br>et al.   |
| US<br>20050161367<br>A1 | US-<br>PGPUB | 20050728 |   | Lid unit for thin<br>plate supporting<br>container                                                                                           | 206/711 |         | Matsutori,<br>Chiaki et<br>al. |
| US<br>20050133402<br>A1 | US-<br>PGPUB | 20050623 |   | Lid unit for thin-<br>plate supporting<br>container                                                                                          | 206/710 | 220/323 | Matsutori,<br>Chiaki et<br>al. |
| US<br>20050115865<br>A1 | US-<br>PGPUB | 20050602 |   | Thin-plate<br>supporting<br>container                                                                                                        | 206/710 | 206/832 | Matsutori,<br>Chiaki et<br>al. |
| US<br>20040232036<br>A1 | US-<br>PGPUB | 20041125 |   | Lid unit for thin<br>plate supporting<br>container                                                                                           | 206/710 |         | Matsutori,<br>Chiaki et<br>al. |
| US<br>20040218897<br>A1 | US-<br>PGPUB | 20041104 |   | AV system having<br>a copyright<br>protection function                                                                                       | 386/46  | 386/125 | Kudoh,<br>Youichi et<br>al.    |
| US<br>20040124118<br>A1 | US-<br>PGPUB | 20040701 |   | Thin plate<br>supporting<br>container                                                                                                        | 206/710 |         | Matsutori,<br>Chiaki et<br>al. |
| US<br>20040099569<br>A1 | US-<br>PGPUB | 20040527 |   | Thin plate storage<br>container                                                                                                              | 206/710 |         | Matsutori,<br>Chiaki et<br>al. |
| US<br>20040020930<br>A1 | US-<br>PGPUB | 20040205 |   | Cover body for<br>sheet supporting<br>container and sheet<br>supporting<br>container                                                         | 220/323 | 206/710 | Hyobu,<br>Yukihiro<br>et al.   |

|                         |              |          |    |                                                                                   |          |                                                                             |                                 |
|-------------------------|--------------|----------|----|-----------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------|---------------------------------|
| US<br>20030122146<br>A1 | US-<br>PGPUB | 20030703 |    | Wafer cassette                                                                    | 257/100  |                                                                             | Iijima,<br>Toshihiko<br>et al.  |
| US 6874638<br>B2        | USPAT        | 20050405 |    | Wafer cassette                                                                    | 206/711  | 206/454;<br>211/41.18                                                       | Iijima;<br>Toshihiko<br>et al.  |
| US 6157072<br>A         | USPAT        | 20001205 |    | Image sensor                                                                      | 257/443  | 257/448;<br>257/457;<br>257/458;<br>257/459;<br>257/E27.133;<br>257/E31.125 | Nakayama;<br>Takehisa<br>et al. |
| US 5945047<br>A         | USPAT        | 19990831 |    | Method of<br>injection-<br>compression<br>molding                                 | 264/40.5 | 264/328.7;<br>425/150                                                       | Yukihiro;<br>Makoto et<br>al.   |
| US 5547619<br>A         | USPAT        | 19960820 |    | Toggle type<br>injection molding<br>process                                       | 264/40.1 | 264/2.2;<br>264/328.7;<br>264/40.5;<br>425/150;<br>425/593                  | Obayashi;<br>Tadanori           |
| US 5422511<br>A         | USPAT        | 19950606 | 21 | Image sensor<br>utilizing photo<br>diode, blocking<br>diode and<br>clamping diode | 257/443  | 257/53;<br>257/E27.111;<br>257/E27.133                                      | Hosokawa;<br>Yoichi et<br>al.   |